# TELEVISIONS MADE FOR THE OUTDOORS







### Live Life Outdoors

The perfect afternoon: warm sunshine, an impromptu get-together with family and friends, the drinks are flowing, the steaks are sizzling on the grill. It sounds so simple really. But adding that one crucial element, the entertainment, makes it all so perfect.

At SunBriteTV we believe that life should be lived outdoors as much as possible, under blue skies or glittering stars. And a SunBriteTV outdoor television is the perfect addition to any outdoor space. Our TVs are completely weatherproof and can be installed anywhere, providing a great high definition entertainment experience. With sizes ranging from 32" up to 84", there is a SunBriteTV model perfect for any backyard, patio, or other outdoor space. Go ahead and escape the confines of indoor living, give the indoor kitchen the weekend off, and take the party outside with a SunBriteTV.

#### The Only Time Tested Outdoor TV

Very few companies can boast cutting edge innovation, durability, and affordability—all in the same product. Over the past decade, SunBriteTV has consistently led the outdoor TV category in all three. Since we introduced the very first outdoor TVs to the Industry in 2004, SunBriteTV has pushed the envelope to continuously improve performance and durability, while making the category more affordable.



# THE **ORIGINAL**OUTDOOR TELEVISION

## Engineered for Outdoor Use

#### Completely Safe

If you look at the owner's manual of any indoor TV you will find a section that clearly prohibits the TV from any outdoor use. The legal language is there for a reason: it's hazardous and even dangerous to use an indoor TV outside. All SunBriteTVs are designed and approved for safe outdoor use in any weather condition. Over the last 10+ years, our product safety record is perfect.



#### Designed for Outdoor Viewing

Indoor TVs are designed for indoor brightness levels and feature a high gloss finish to enhance color, all of which makes for poor outdoor viewing. All SunBriteTVs have extra bright LED displays and anti-reflective screens to deliver clear images under daylight conditions.



#### Resistant to Rain & Moisture

Water of any kind—rain, sleet, snow, fog, condensation—can wreak havoc on electronic devices. All SunBriteTVs utilize specially designed powder—coated aluminum exteriors and gasketing to seal out moisture.



#### Water-Tight Cable Compartment

Connection ports are especially vulnerable to the elements. Even small amounts of moisture can corrode input terminals, causing the unit to fail. SunBriteTVs feature a water–tight door for the cable compartment that protects cable connections and seals out moisture.



## Signature Series

#### The Best Selling Outdoor TVs in the World

The SunBriteTV Signature Series outdoor TV is not only the first truly affordable weatherproof TV, it's the best selling outdoor TV in the world. Both residential and commercial venue operators now have a low cost, completely reliable outdoor TV that can accommodate any budget.

Since its launch, our engineers have raised the performance bar once again with the new second generation Signature Series line. While boasting the same all—weather and outdoor viewing abilities as the original, the new Signature Series is thinner, stronger, lighter, and delivers even better picture quality. At just 3.5" maximum depth, and with a powder—coated aluminum exterior, the beautiful, sleek design is an incredibly strong and rugged product. Even the remote is weatherproof! The bright LED lit panels deliver improved brilliance and color balance for your viewing pleasure—from afternoon sunlight to silvery moonlight.




Model Shown: 5570HD - 55"

## TRUE OUTDOOR ALL-WEATHER HDTV

#### Signature Series Features

- True outdoor all-weather LED TV for permanent outdoor installation
- Bright, 1080p and 4K UHD screens for improved outdoor viewing
- Exterior designed to protect internal components from rain, snow, dust, insects, humidity, and salt air
- Slim profile, powder-coated, rustproof aluminum exterior for strength and durability
- Heat dispersion system keeps the unit cool and dry in temperatures up to 122 degrees F
- Ability to operate in cold weather (-24 degrees F)
- RS232 serial control with discrete on, off, and input control (located in the cable-entry compartment)
- Rear IR receiver (located in the cable-entry compartment)
- Innovative watertight Cable Entry System seals out moisture and allows for easy hook-ups
- Weatherproof 20W speakers
- Weatherproof remote control
- Remote control lock-out prevents unauthorized users from changing the programming





#### Signature Series

Model SB-3270HD - 32"

SB-4670HD - 46"

SB-5570HD - 55"

SB-6570HD - 65"













### Pro Series

The SunBriteTV Pro Series is arguably the toughest, most durable outdoor TV ever made. With an incredibly strong powder-coated aluminum exterior, protective front panel, and renowned heating and cooling systems, this TV has garnered dozens of industry awards and can perform flawlessly in nearly any climate condition on earth. With the new Pro Series displays, SunBriteTV has raised the performance bar even higher by adding 700 NIT Enhanced Solar Tolerance technology, making the TV impervious to isotropic effects (isotropic means the panel can turn black in direct sunlight). With over a decade of flawless performance in the field, the Pro Series has earned a well-deserved reputation for reliability.

The newest generation Pro Series has been completely redesigned with an extra-large media bay providing easy access to ports and plenty of room to accommodate digital media players. This media bay also provides 5v and 12v power sources, eliminating the need to run an external power cord. Thinner and lighter than earlier models, the new Pro Series looks equally at home in backyards as in professional sports stadiums, amusement parks, and restaurants.

#### Extra Bright Displays

Extra bright 700 NIT LED displays for twice the brightness of conventional indoor displays, even in intense sunlight conditions.

#### Protective Front Panels

All Pro models include a protective front tempered glass shield to ensure that the LED panel, the main component of the display, is protected from potential damage.



### RUGGED EXTERIOR, **DURABLE DESIGN**

## Pro Series With All the Features of Our Signature Series and More

- High-Bright (700 NIT) 1080p and 4K UHD screens for improved outdoor viewing\*
- Direct Sunlight Readable
- Anti-glare protective glass helps safeguard against vandalism and abuse
- Removable front bezel for easy field servicing
- Massive cable/media player bay
- Media bay power port powers media players without the need for external cords (5v@3.5amps / 12v@3amps)
- Easy-access cable ports
- High temperature Enhanced Solar Tolerance (EST) technology prevents isotropic blackout
- Thermal-flow air ventilation system keeps the unit cool & dry in temperatures up to 122 degrees F
- Ability to operate in cold weather (-40 degrees F)
- Exterior designed to protect internal components from rain, snow, dust, insects, humidity, and salt air



#### A PC Magazine Editor's Choice Award for Weatherproof HDTVs

...looked as sharp in direct sunlight as it did at night. Colors remained vibrant, and the picture did not appear washed out even with a bright midday sun beating down on it."  $\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2$ 

- John R. Delaney - Contributing Editor, PC Magazine - Monitors and HDTVs





#### **Pro Series**

Model SB-3214HD – 32" Landscape

SB-4217HD - 42" Landscape


SB-4717HD – 47" Landscape

SB-4917HD – 49" Landscape <sup>1</sup>

SB-5518HD - 55" Landscape

SB-8418UHD - 84" 4K UHD Landscape 1

<sup>1</sup>Available soon



















#### Weather Proof Mounts & Accessories

- We've designed mounts and accessories for every type of installation
- All mounts are completely weatherproof and carry a lifetime warranty





SB-HDWT HD Wireless Tranceiver System



SB-WM32D Dual Arm Articulating Wall Mount 32" TV



SB-WM46 Articulating Wall Mount 42-65" TV



SB-DP46XA Deck Planter Pole 32-65" TV



SB-WM46NA Flat Wall Mount 42-65" TV



SB-CM46A12 Ceiling Mount 42/55" TV

ACCESSORIES & MOUNTS

For a complete listing of mounts and accessories, please visit us at: www.SunBriteTV.com

#### Tough enough for world class venues... Sleek and beautifully-designed for home





"SunBriteDS displays are a huge part of our ability to create an atmosphere that keeps people coming back."

Jonathon Beitz
 President of JAVI A/V LLC for BJ's Restaurant



"Even though they're 15 feet from the field, the SunBriteDS displays bring the action even closer. Everyone keeps telling me how they really complete the game-day experience."

- Nick Terrus







"We've replaced several competitor models with SunBriteDS displays over the years. They've been reliable throughout and a great success in achieving our energy needs."

- Charles Duncan Toronto Zoo's Manager of Computer & Telecom Service





More than 350 SunBriteTV Weatherproof Displays Are Deployed Nationwide Across 11 Major Amusement Parks including Cedar Point, Knott's Berry Farm, Kings Island and Canada's Wonderland.

"I think the thing I like most about this Television is that it doesn't LOOK like an outdoor TV - it just looks like a sleek, modern day television that happens to be outdoors."

Caleb Denison, AV Editor, Digital Trends

"My wife bought a SunBriteTV for me as an anniversary gift 3 years ago. We love it and use it outside on our deck in all kinds of weather. Our friends are just amazed that we can sit outside and enjoy the TV and still be able to see it in the sun."

- Keith Thompson, Elkton, Maryland

Specifications Product Number	Signature Series				Pro Series					Marquee Series		
	3270HD	4670HD	5570HD	6570HD	3214HD	4217HD	4717HD	5518HD	4720HD	4721HD*	5525HD	
LCD Screen	31.5" diagonal	46" diagonal	55" diagonal	65" diagonal	31.5" diagonal	42" diagonal	47" diagonal	55" diagonal	47" diagonal	47" diagonal	55" diagonal	
Light Source High Temp LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED .	LED	
EST Technology					:	:	•	•	:		•	
Front Protective Panel					i i	·	·	·	i i	·	:	
Water Tight Cable Entry Door					:	•			:		•	
Resolution	1920 x 1080p Full HD	1920 x 1080p Full HD	1920 x 1080p Full HD	1920 x 1080p Full HD	1920 x 1080p Full HD							
Screen Brighteness	1920 X 1000p 1 dii 11D	1920 X 1000p 1 dii 11D	1920 X 1000p 1 uii 11D	1920 X 1000p 1 dii 11D	400 NIT	700 NIT	700 NIT	700 NIT	2000 NIT	2000 NIT	2500 NIT	
Aspect Ratio	16:9	16:9	16:9	16:9	400 NIT	16:9	16:9	16:9	2000 NTT 16:9	16:9	16:9	
Contrast Ratio	3000:1	4000:1	4000:1	4000:1	1400:1	1300:1	1300:1	1300:1	1300:1	13.00:1	4000:1	
Viewing Angle	178° x 178°	4000.1 178° x 178°	178° x 178°	178° x 178°	17400.1 178° x 178°	178° x 178°	178° x 178°	178° x 178°	178° x 178°	178° x 178°	178° x 178°	
Response Time	8.0 milliseconds	6.5 milliseconds	6.5 milliseconds	6.5 milliseconds	6.0 milliseconds	12.0 milliseconds	12.0 milliseconds	8.0 milliseconds	10.0 milliseconds	10.0 milliseconds	8.0 milliseconds	
TV formats: 1080p, 1080i, 480p, 480i	o.o miniseconas	•	•	•	• •	12.0 Hillisecolius	•	• •	•	•	•	
Screen Orientation	Landscape	Landscape	Landscape	Landscape	Landscape							
Input Connectors	Lanuscape	Landscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	Lanuscape	
RF (antenna/CATV/ ATSC/QAM/NTSC)	1	1	1	1	1	1	1	1	1	1	1	
HDMI	2	2	2	2	2	2	2	2	2	2	2	
S-Video or Component + L/R Audio	1	1	1	1	1	1	1	1	1	1	1	
Video Component (YPbPr ) + L/R Audio	2	2	2	2	2	2	2	2	2	2	2	
PC (VGA) + L/R Audio	1		1	1	1	1	1	1	1	1	1	
Display Port	· ·	1	·	· ·	'	'	'	· ·	· ·	'	'	
Control Set		ı										
RS232 Serial												
Discrete IR Control												
Concealed IR Window												
Audio Out												
SPDIF Audio x 1												
TosLink Digital Optical x 1												
Analog 1/8" headphone jack x 1												
Speakers												
Included or Optional	Included	Included	Optional	Optional	Optional							
20 watt power	•	•	•	•	•	•	•	•	•	•	•	
Built-In or Detachable Speaker Bar	Built-In	Built-In	Speaker Bar	Speaker Bar	Speaker Bar	Speaker Bar	Speaker Bar					
Input Power		_ <del></del>	Грешне да	эрганы эа		5,753.131		Spanner 2 at	Speaker 2 at		Specific 25	
VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	100-240 VAC	
Power Frequency	50-60 Hz	50-60 Hz	50-60 Hz	50-60 Hz	50-60 Hz							
Max Amp.	2.5A Max	2.8A Max	2.0A Max	2.0A Max	2.5A Max	2.8A Max	2.8A Max	4.0A Max	2.8A Max	2.8A Max	5.0A Max	
Output DC Accessory Power												
1.3mm power jack - 5v										•		
2.5mm power jack - 12v						•				•	•	
Operating Temp	-24° to 122° F. (-31° to 50° C.)	-24° to 122° F. (-31° to 50° C.)	-24° to 122° F. (-31° to 50° C.)	-24° to 122° F. (-31° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	-40° to 122° F. (-40° to 50° C.)	
Non-Operating Temp	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	-40° to 140° F. (-40° to 60° C.)	
Accessories Included												
Weatherproof remote control		•	•	•		•	•	•	•	•	•	
Dust Cover	•	•	•	•								
Powder-coated aluminum exterior	•	•	•	•	•	•	•	•	•	•	•	
Exterior Colors: Black, Silver, White	•	•	•	•	•	•		•	•	•	•	
TV Dimensions (without detachable speakers)	29.86"W x 18.37"H x 3.76"D	42.41"W x 24.96"H x 3.74"D	50.0"W x 29.16"H x 3.13"D	60.7"W x 35.9"H x 3.4"D	32.07"W x 20.02"H x 6.29"D	39.43"W x 23.41"H x 5.57"D	44.72"W x 27.16"H x 6.12"D	50.6"W x 29.8"H x 5.7"D	44.72"W x 27.16"H x 6.94"D	43.85"W x 25.92"H x 6.97"D	50.6"W x 29.8"H x 6.9"D	
TV Dimensions (with detachable speakers)	NA	NA	50.0"W x 32.20"H x 3.13"D	60.7"W x 38.8"H x 3.4"D	32.07"W x 22.12"H x 6.29"D	39.43"W x 26.4"H x 5.57"D	44.72"W x 29.33"H x 6.12"D	50.6"W x 32.638"H x 6.9"D	44.72"W x 29.33"H x 6.94"D	43.85"W x 28.84"H x 6.97"D	50.6"W x 32.8"H x 6.9"D	
Media Compartment Opening size	12"W x 4"H x 2.25"D	12"W x 4"H x 2.25"D	10.5"W x 4"H x 1.75"D	10.5"W x 4"H x 1.75"D	12"W x 4"H x 2.25"D	6.45"W x 13.5"H x 3"D	23.75"W x 3.75"H x 3.75"D	8.9"W x 12.5"H x 3"D	23.75"W x 3.75"H x 3.75"D	8.9"W x 12.5"H x 3"D	8.9"W x 12.5"H x 3"D	
Media Compartment Internal size	12"W x 4"H x 2.25"D	12"W x 4"H x 2.25"D	10.5"W x 4"H x 1.75"D	10.5"W x 4"H x 1.75"D	12"W x 4"H x 2.25"D	7.9"W x 17.7"H x 2.1"D	23.75"W x 3.75"H x 3.75"D(1)	10.5"W x 18.3"H x 2.1"D	23.75"W x 3.75"H x 3.75"D(1)	10.1"W x 18.3"H x 2.1"D	11"W x 15.6"H x 2.1"D	
TV Weight	26.0 lbs.	47.0 lbs.	85.0 lbs.	100.0 lbs.	41.6 lbs.	55 lbs.	83 lbs.	100.5 lbs.	88.0 lbs.	88.0 lbs.	114.0 lbs.	
Shipping Dimensions	34.0"W x 27.5"H x 9.0"D	47.5″W x 33.0″H x 9.0″D	55.0"W x 37.0"H x 9.0"D	68.0"W x 48.0"H x 13.0"D	37.0"W x 32.0"H x 12.0"D	48.0"W x 31.0"H x 11.0"D	52.0"W x 42.0"H x 13.0"D	60.0"W x 46.0"H x 13.0"D	52.0"W x 42.0"H x 13.0"D	52.0"W x 42.0"H x 13.0"D	60.0"W x 46.0"H x 13.0"D	
Shipping Weight	34.0 lbs.	56.0 lbs.	110.0 lbs.	130.0 lbs.	59.0 lbs.	65.0 lbs.	104.0 lbs.	118 lbs.	108.0 lbs.	108.0 lbs.	128.0 lbs.	
Residential Warranty (parts & labor)	2 Years	2 Years	2 Years	2 Years	2 Years							
Commercial Warranty (parts & labor)	2 Years	2 Years	2 Years	2 Years	2 Years							
							(1) Optional Media Door Available		(1) Optional Media Door Available	*Available soon		

## **SunBriteTV**<sub>®</sub>

2001 Anchor Ct. Thousand Oaks, CA 91320

Sales & Product Info: 866.357.8688 | www.SunBriteTV.com